

**SECTION 1: IDENTIFICATION**

**1.1 PRODUCT IDENTIFIER**

**Product Name:** NEW CATALYZED 052 WITH LOW EMISSION CATALYSTS  
**Product Code:** F052N, F052N-55

**1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

**Product Use:** Foam insulation

**1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Name/Address:** Gaco Western LLC  
 1245 Chapman Dr.  
 Waukesha, WI, 53186-5942  
 USA  
**Telephone Number:** 800-331-0196 / **International:** 001-800-331-0196  
**Email:** [sds@gaco.com](mailto:sds@gaco.com)  
**Website:** [www.gaco.com](http://www.gaco.com)

**1.4 EMERGENCY TELEPHONE NUMBER**

For Chemical Emergency  
 Spill, Leak, Fire, Exposure, or Incident  
 Within USA and Canada: 1-800-424-9300  
 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

**SECTION 2: HAZARD(S) IDENTIFICATION**

**2.1 CLASSIFICATION OF THE CHEMICAL**

**Hazard class:**

HAZARD CLASSIFICATION	CATEGORY
Eye Damage/Irritation	1

**2.2 LABEL ELEMENTS**

**Hazard pictogram:** GHS05



**SAFETY DATA SHEET**

**Signal word:** Danger

**Hazard statement:** Causes serious eye damage

**Prevention:** Wear protective eye protection/face protection.

**Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

**Storage:** Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

**2.3 ADDITIONAL INFORMATION**

**Main symptoms:** Causes severe eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Hazards not otherwise specified:** Harmful to aquatic life with long lasting effects

28 % of the mixture consists of ingredient(s) of unknown acute toxicity

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 MIXTURES**

Material	CAS No.	Weight %*
Nonylphenol polyethylene glycol ether	127087-87-0	5-10%
Glycerol, propylene oxide, ethylene oxide polymer	9082-00-2	1-5%
Dimethylaminoethoxyethanol	1704-62-7	1-5%
Tertiary Amines	n/a	1-5%
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	0.1-1.0%

\*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

**SECTION 4: FIRST-AID MEASURES**

**4.1 DESCRIPTION OF THE FIRST AID MEASURES**

**General information:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact:** Wash skin with plenty of soap and water. Get medical attention if irritation develops and persists.

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

**SAFETY DATA SHEET**

Causes severe eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED**

**Note to physicians:** Treat symptomatically.  
**Specific treatments:** In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

**SECTION 5: FIRE-FIGHTING MEASURES****5.1 EXTINGUISHING MEDIA**

**General hazards:** No unusual fire or explosion hazard.  
**Suitable extinguishing media:** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>)  
**Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.

**5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

**Specific hazards:** During fire, gases hazardous to health may be formed.  
**Products of combustion:** May include, and are not limited to: oxides of carbon.

**5.3 Special protective equipment and precautions for fire-fighters (PPE)**

**Special protective equipment for fire-fighters:**  
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  
**Special fire-fighting procedures:** Keep upwind of fire. Move containers from fire area if you can do it without risk.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

For personal protection, see Section 8 of this SDS.

**6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP**

**Methods for containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).  
**Methods for cleaning-up:** Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.  
**Large spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Prevent product from entering drains.  
**Small spills:** Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.  
**Environmental precautions:** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

**SECTION 7: HANDLING AND STORAGE****7.1 PRECAUTIONS FOR SAFE HANDLING**

**SAFETY DATA SHEET**

**Precautions for Safe handling:** Observe good industrial hygiene practices.  
**General hygiene advice:** Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

**Safe storage:** Store away from incompatible materials.  
**Specific use:** Foam insulation  
**Technical measures:** No specific recommendations.  
**Incompatible materials:** None known, avoid strong oxidizing agents.  
**Safe packaging material:** No specific recommendations.  
**Precautions:** Use personal protective recommended in Section 8 of the SDS.  
**Safe handling advice:** Observe good industrial hygiene practices.  
**Suitable storage conditions:** Store away from incompatible materials.  
**Handling-technical measures:** No specific recommendations.  
**Local and general ventilation:** Provide adequate ventilation.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS**

**Control parameters:** Follow standard monitoring procedures.

**Exposure limits:**

**Nonylphenol polyethylene glycol ether**  
AIHA WEEL TWA 10 mg/m<sup>3</sup>

**8.2 EXPOSURE CONTROLS****Engineering measures to reduce exposure:**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**8.3 INDIVIDUAL PROTECTIVE MEASURES**

**General:** Use personal protective equipment as required.  
**Eye protection:** Wear safety glasses with side shields (or goggles) and a face shield.  
**Hand protection:** For prolonged or repeated skin contact, use suitable protective gloves.  
**Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.  
**Skin and body protection:** Wear suitable protective clothing.  
**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.  
**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**Environmental exposure controls:** Inform appropriate managerial or supervisory personnel of all environmental releases.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**



**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

**Hazardous decomposition products:** No hazardous decomposition products are known.

**Hazardous polymerization:** Does not occur.

**Other information:** Not available.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**Acute toxicity:** Causes serious eye damage.  
**Likely routes of exposure:** Skin contact. Eye contact. Inhalation.  
**Eye:** Causes serious eye damage.  
**Skin:** No adverse effects due to skin contact are expected. Prolonged skin contact may cause dryness, redness, or cracking.  
**Ingestion:** Not an expected route of exposure. Expected to be a low ingestion hazard.  
**Inhalation:** Not an expected route of exposure. No adverse effects due to inhalation are expected.

**LD50/LC50 values relevant to this classification:**

**Nonylphenol polyethylene glycol ether**  
 Oral rat LD50 2980 mg/kg  
 Dermal rabbit LD50 2000-2991 mg/kg  
 Inhalation rat LC50 1.15 mg/l 4 hr

**Dimethylaminoethoxyethanol**  
 Oral rat LD50 2980 mg/kg  
 Dermal rabbit LD50 2000-2991 mg/kg  
 Inhalation rat LC50 1.15 mg/l 4 hr

**Tertiary Amines**  
 Oral rat LD50 2150 mg/kg bw  
 Oral rat LD50 2558 mg/kg bw  
 Oral rat LD50 >3000 mg/kg bw  
 Oral rat LD50 >5660 mg/kg bw  
 Oral rat LD50 2337 mg/kg  
 Inhal rat LC50 >72 ppm air 4hr  
 Inhal rat LC50 >8.7 mg/m3 air 8hr  
 Derm rabbit LD50 1663-2033 mg/kg bw  
 Derm rabbit LD50 1260 mg/kg bw  
 Dermal rabbit LD50 1334 mg/kg

**Calculated overall chemical acute toxicity values for this formulation:**

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg

**11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE**

**Skin corrosion/irritation:** Based on available data, this product is not expected to cause skin corrosion or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

**SAFETY DATA SHEET**

<b>Serious eye damage/irritation:</b>	Causes serious eye damage.
<b>Respiratory sensitization:</b>	Based on available data, this product is not expected to cause respiratory sensitization.
<b>Skin sensitization:</b>	Based on available data, this product is not expected to cause skin sensitization.
<b>Symptoms and target organs:</b>	Causes severe eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Chronic health effects:</b>	No chronic health effects known.
<b>Carcinogenicity:</b>	This product is not classified as a carcinogen.
<b>Mutagenicity:</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Reproductive Toxicity:</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific Target Organ Toxicity (STOT):</b>	
<b>Single Exposure:</b>	Not classified as an STOT - Single Exposure.
<b>Repeated Exposure:</b>	Not classified as an STOT - Repeated Exposure.
<b>Aspiration Toxicity:</b>	Based on available data, this product is not expected to cause aspiration toxicity.
<b>Other Information:</b>	Not available.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 ECOTOXICITY**

<b>Ecotoxicity:</b>	Harmful to aquatic life with long lasting effects.
<b>Acute aquatic toxicity:</b>	The product is not classified as acutely environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Chronic toxicity:</b>	Harmful to aquatic life with long lasting effects.
<b>Environmental effects:</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**12.2 PERSISTENCE AND DEGRADABILITY**

<b>Persistence/biodegradability:</b>	The product contains substances which are not expected to be readily biodegradable.
--------------------------------------	---

**12.3 BIOACCUMULATIVE POTENTIAL**

<b>Bioaccumulation:</b>	No data available.
-------------------------	--------------------

**12.4 MOBILITY**

<b>Mobility:</b>	No data available.
<b>Mobility in soil:</b>	No data available.
<b>Mobility in non-soil:</b>	No data available.

**12.5 OTHER ADVERSE EFFECTS**

<b>Ozone layer:</b>	No data available.
---------------------	--------------------

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 WASTE TREATMENT METHODS**

<b>Disposal method:</b>	This material must be disposed of in accordance with all local, state, provincial, and federal regulations.
<b>Contaminated packaging:</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>EU codes:</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

## SAFETY DATA SHEET

<b>Residual waste:</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Disposal instructions:</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Waste codes:</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Other disposal recommendations:</b>	None

### SECTION 14: TRANSPORT INFORMATION

**DOT Non-Bulk**

Not classified as Dangerous Goods for Transport

**DOT Bulk**

Not classified as Dangerous Goods for Transport

**IMDG**

Not classified as Dangerous Goods for Transport

**ICAO/IATA**

Not classified as Dangerous Goods for Transport

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

### SECTION 15: REGULATORY INFORMATION

#### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**US Federal Regulations:**

**U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)**

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

**SARA/CERCLA reporting requirements:**

No components of this product are found at concentrations greater than or equal to 0.1% and are subject to the SARA/CERCLA reporting requirements.

**State Right-to-Know Regulations**

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.



**SAFETY DATA SHEET**

Material	California Proposition 65	Massachusetts Right-to-Know	Minnesota Employee Right-to-Know	New Jersey Community Environmental Hazard Right-to-Know	New Jersey Right-to-Know Substance	Pennsylvania Right-to-Know	Rhode Island Right-to-Know
Tertiary Amines (no cas)	Not Isited	Listed	Not Isited	Not Isited	Not Isited	Not Isited	Not Isited
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Not Isited	Not Isited	Not Isited	Not Isited	Listed	Not Isited	Not Isited
Poly(ethylene oxide)	Not Isited	Not Isited	Listed	Not Isited	Not Isited	Not Isited	Not Isited
1,4- Dioxane	Listed	Listed	Listed	Listed	Listed	Listed	Listed
methyloxirane	Listed	Listed	Listed	Listed	Listed	Listed	Listed
Ethylene Oxide	Listed	Listed	Listed	Not Isited	Not Isited	Listed	Listed

**Global Inventories:**

Notification status:	
US - TSCA	(Not) all substances are listed
Canada -DSL	All substances are listed
Canada - NDSL	No substances are listed
EU - EINECS	Not all substances are listed
EU - ELINCS	No substances are listed
EU - NLP	At least 1 substance is listed
Australia – AICS	Not all substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	Not all substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZIoC	Not all substances are listed
Philippine - PICCS	Not all substances are listed

**EU - REACH Status:**

A registration number is not available for substances in this mixture as the substances are exempted from registration, the annual tonnage does not require a registration or the registration is envisioned for a later registration deadline.

**CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification:**

D1B, D2B, E



**MEXICO:**

**Hazard Classification:** 3-1-0  
**Carcinogen Status:** No data available.

**SECTION 16: OTHER INFORMATION**

**HMIS (Hazardous Materials Identification System) rating:**

<b>Health:</b>	<b>3</b>
----------------	----------

**SAFETY DATA SHEET**

<b>Flammability:</b>	<b>1</b>
<b>Physical:</b>	<b>0</b>

**NFPA 704 (National Fire Protection Association) rating:**

<b>Health</b>	<b>3</b>
<b>Fire</b>	<b>1</b>
<b>Reactivity</b>	<b>0</b>

**Legend:**

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
ACGIH	American Conference of Governmental Industrial Hygienists
NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
PPE	Personal Protective Equipment
RCRA	Resource Conservation and Recovery Act
CAA	Clean Air Act
SARA	Superfund Amendments and Reauthorization Act
EPCRA	Emergency Planning and Community Right-to-Know Act
WHMIS	Workplace Hazardous Materials Information System
EU	European Union
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
TSCA	US Toxic Substances Control Act (TSCA)
DSL	Canada Domestic Substance List (DSL)
NDSL	Canada Non-Domestic Substance List (NDSL)
EINECS	European Inventory of Existing Commercial Chemical Substances (EINECS)
ELINCS	European List of Notified Chemical Substances (ELINCS)
NLP	European list of No-longer Polymers (NLP)
AICS	Australian Inventory of Chemical Substances (AICS)
EICSC	China Existing Chemical Inventory - IECSC
ENCS	Japanese Existing and New Chemical Substances Inventory(ENCS)
KECI	Korea Existing Chemicals Inventory(KECI)
NECI	Taiwan National Existing Chemical Inventory (NECI)
NZIoC	New Zealand Inventory of Chemicals (NZIoC)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
HMIS	Hazardous Materials Identification System
NFPA	National Fire Protection Association (NFPA)

**Date of preparation:** June 5, 2015

**Version:** 1.0

**Revision Date:** June 5, 2015

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Gaco Western LLC

**End of Safety Data Sheet**